

Flexiglass Primer

Page: 1

Compilation date: 30/06/2022

Revision No: 1

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Flexiglass Primer

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: USED IN A VARIETY OF POLYESTER RESIN SYSTEM WITHIN THE FIBERGLASS

MOULDING INDUSTRY

#### 1.3. Details of the supplier of the safety data sheet

Company name: Cromar Building Products

Units 3,4,5 Northside Ind. Park

Whitley Bridge DN14 OGH

Tel: 01977 663 133

Email: sales@cromar.uk.com

## 1.4. Emergency telephone number

#### **Emergency tel:**

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Flam. Liq. 3: H226; Repr. 2:

H361; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT RE 1: H372; STOT SE 3: H335; -:

**EUH208** 

Most important adverse effects: Contains cobalt neodecanoate. May produce an allergic reaction. Flammable liquid and

vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. Suspected of damaging fertility or the unborn child . Causes damage to organs through

prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains cobalt neodecanoate. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

# Flexiglass Primer

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.H335: May cause respiratory irritation.

H361: Suspected of damaging fertility or the unborn child .

H372: Causes damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark GHS08: Health hazard







Signal words: Danger

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241: Use explosion-proof electrical/ventilating/lighting/.. equipment.

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+310: IF SWALLOWED: Immediately call a. P302+352: IF ON SKIN: Wash with plenty of water/.

## 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

# 3.2. Mixtures

# Hazardous ingredients:

## STYRENE MONOMER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-851-5	100-42-5	-	Flam. Liq. 3: H226; Acute Tox. 4: H332; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Repr. 2: H361; STOT SE 3: H335; STOT RE 1: H372; Asp. Tox. 1: H304; Aquatic Chronic 3: H412	30-50%

Page: 2

# Flexiglass Primer

Page: 3

#### METHYL METHACRYLATE - REACH registered number(s): 01-2119452498-28

	-	- 3	( )	
201-297-1	80-62-6	-	Flam. Liq. 2: H225; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317	1-10%
COBALT NEC	DDECANOATE			
-	27253-31-2	-	Acute Tox. 4: H302; Skin Sens. 1: H317; STOT RE 1: H372; Aquatic Chronic 3: H412	<1%
POTASSIUM	2-ETHYLHEXAN	OATE		
-	3164-85-0	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Repr. 2: H361	<1%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

# Flexiglass Primer

Page: 4

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Notify the police and fire

brigade immediately. Eliminate all sources of ignition. Turn leaking containers leak-side

up to prevent the escape of liquid.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Do not use equipment in clean-up procedure which

may produce sparks.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of

the area. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Respirable dust

Ensure lighting and electrical equipment are not a source of ignition.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Hazardous ingredients:

# STYRENE MONOMER

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	430 mg/m3	1080 mg/m3	-	-

# Flexiglass Primer

Page: 5

# **METHYL METHACRYLATE**

UK	50 ppm	100 ppm	-	-
COBALT NE	ODECANOATE			
EU	0.1/mgm3	-	-	-

# **DNEL/PNEC Values**

# Hazardous ingredients:

# STYRENE MONOMER

Туре	Exposure	Value	Population	Effect
DNEL	Dermal (repeated dose)	406 mg/kg/day	Workers	Systemic
DNEL	Inhalation	289 mg/m3	Workers	Systemic
DNEL	Inhalation (repeated dose)	85mg/m3	Workers	Systemic
DNEL	Inhalation	306 mg/m3	Workers	Local
DNEL	Oral	2.1mg/kg/day	Consumers	Systemic
DNEL	Dermal	343 mg/kg/day	Consumers	Systemic
DNEL	Inhalation	10.2 mg/m3	Consumers	Systemic
DNEL	Inhalation	174.25 mg/m3	Consumers	Systemic
DNEL	Inhalation	182.75 mg/m3	Consumers	Local
PNEC	Marine water	0.014 mg/l	-	-
PNEC	Fresh water	0.028 mg/l	-	-
PNEC	Fresh water sediments	0.614 mg/kg dry weig	-	-
PNEC	Marine sediments	.307 mg/kg dry weigh	-	-
PNEC	Soil (agricultural)	0.2 mg/kg dry weight	-	-
PNEC	Microorganisms in sewage treatment	5 mg/l	-	-

# **METHYL METHACRYLATE**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	20mg/m3	Workers	-
DNEL	Dermal (developmental tox)	13.67mg/kg/day	Workers	-
DNEL	Dermal (repeated dose)	1500mg/m3	Workers	-
DNEL	Inhalation (developmental tox)	74.3mg/m3	Consumers	-
DNEL	Dermal (developmental tox)	8.2mg/kg/day	Consumers	-
DNEL	Dermal (repeated dose)	1500mg/m3	Consumers	-

PNEC	Fresh water	0.94mg/l	-	-
PNEC	Marine water	0.094mg/l	-	-
PNEC	Soil (agricultural)	1.47mg/kg	-	-

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid Colour: White

Viscosity: Non-viscous

Flash point°C: 28

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Flexiglass Primer

Page: 7

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Hazardous ingredients:**

#### STYRENE MONOMER

	-	RAT	LD50	5000	mg/kg
--	---	-----	------	------	-------

## **METHYL METHACRYLATE**

IPR	RAT	LD50	1328	mg/kg
ORL	MUS	LD50	3625	mg/kg
ORL	RAT	LD50	7872	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
Reproductive toxicity		Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

# **Section 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# Flexiglass Primer

Page: 8

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1866

## 14.2. UN proper shipping name

Shipping name: RESIN SOLUTION

## 14.3. Transport hazard class(es)

Transport class: 3

# 14.4. Packing group

Packing group: |||

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

#### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E Transport category: 3

# **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

## 15.2. Chemical Safety Assessment

#### **Section 16: Other information**

# Flexiglass Primer

Page: 9

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H361: Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.