

SAFETY DATA SHEET SETCRETE EXTERIOR

1.1. Product identifier	
Product name	SETCRETE EXTERIOR
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Identified uses	Cementitious flooring product.
Uses advised against	None
1.3. Details of the supplier	of the safety data sheet
Supplier	
	F.Ball and Co. Ltd.
	Churnetside Business Park,
	Station Road,
	Cheddleton,
	Leek,
	Staffordshire. ST13 7RS
	Tel: 01538 361633 Mon-Fri 8.30am-5.00pm (Exc Bank Holidays) Fax: 01538 361622
	E.mail: msds@f-ball.co.uk
1.4. Emergency telephone	
Emergency telephone	01538 361633 Mon-Fri 8.30am - 5.00pm (excluding Bank Holidays)
Emergency telephone	
SECTION 2: Hazards ident	bstance or mixture
SECTION 2: Hazards ident 2.1. Classification of the su Classification (EC 1272/20	bstance or mixture 08)
SECTION 2: Hazards ident	bstance or mixture
SECTION 2: Hazards ident 2.1. Classification of the su Classification (EC 1272/20	bstance or mixture 08)
SECTION 2: Hazards ident 2.1. Classification of the su Classification (EC 1272/20) Physical hazards	ification bstance or mixture 08) Not Classified
SECTION 2: Hazards ident 2.1. Classification of the su Classification (EC 1272/20) Physical hazards Health hazards	iffication bstance or mixture 08) Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Not Classified Prolonged contact with moist or wet product may cause burns. When mixed with water or gauging liquid splashes may cause serious eye damage. This material contains a low level or soluble Chromium VI. A reducing agent has been added which will, when mixed, reduce the level of soluble Chromium (VI) to no more than 0.0002% (2ppm) of the total dry weight of
SECTION 2: Hazards ident 2.1. Classification of the su Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards	iffication bstance or mixture 08) Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Not Classified Prolonged contact with moist or wet product may cause burns. When mixed with water or gauging liquid splashes may cause serious eye damage. This material contains a low level o soluble Chromium VI. A reducing agent has been added which will, when mixed, reduce the level of soluble Chromium (VI) to no more than 0.0002% (2ppm) of the total dry weight of cement providing the product is stored correctly as indicated in section 7, and used within the recommended shelf life for the product. Persons with a known sensitivity to Chromium VI
SECTION 2: Hazards ident 2.1. Classification of the su Classification (EC 1272/20) Physical hazards Health hazards Environmental hazards Human health	iffication bstance or mixture 08) Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Not Classified Prolonged contact with moist or wet product may cause burns. When mixed with water or gauging liquid splashes may cause serious eye damage. This material contains a low level or soluble Chromium VI. A reducing agent has been added which will, when mixed, reduce the level of soluble Chromium (VI) to no more than 0.0002% (2ppm) of the total dry weight of cement providing the product is stored correctly as indicated in section 7, and used within the recommended shelf life for the product. Persons with a known sensitivity to Chromium VI would be advised not to use this product. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic

Pictogram



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statements	 P102 Keep out of reach of children. P261 Avoid breathing dust. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention.
Contains	CEMENT
Supplementary precautionary statements	P270 Do not eat, drink or smoke when using this product. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

	10-30%
EC number: 266-043-4	
	EC number: 266-043-4

The full text for all hazard statements is displayed in Section 16.

Composition commentsThe product is a blend of cements and inorganic aggregates or fillers and and may contain
calcium carbonate, pulverised fuel ash, ground granulated blast furnace slag and small
percentages of additives. The product may contain a low level of respirable crystalline silica.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
General information	Remove affected person from source of contamination.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues.

Skin contactRemove contaminated clothing. Rinse immediately with plenty of water. Get medical attention
if any discomfort continues.

Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.
4.2. Most important symptoms	s and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged skin contact may cause redness and irritation. May cause an allergic skin reaction.
Eye contact	May cause blurred vision and serious eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is non-combustible.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Dust may form explosive mixture with air. No unusual fire or explosion hazards noted.
Hazardous combustion products	Does not decompose when used and stored as recommended.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known.
Special protective equipment for firefighters	Wear chemical protective suit.
SECTION 6: Accidental release	se measures
	se measures stective equipment and emergency procedures
6.1. Personal precautions, pro	Avoid inhalation of dust. Avoid contact with skin and eyes.
6.1. Personal precautions, pro Personal precautions	Avoid inhalation of dust. Avoid contact with skin and eyes.
6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution	Avoid inhalation of dust. Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> . Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> . Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> . Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> .
 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions 	Avoid inhalation of dust. Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> . Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> . Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> . Avoid contact with skin and eyes. <u>Avoid inhalation of dust</u> .
 6.1. Personal precautions, properties Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for 	Avoid inhalation of dust. Avoid contact with skin and eyes. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Avoid generation and spreading of dust. Preferably remove spillage with a vacuum cleaner. Collect spillage in containers, seal securely and deliver for disposal as hazardous waste.
 6.1. Personal precautions, properties Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up 	Avoid inhalation of dust. Avoid contact with skin and eyes. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Avoid generation and spreading of dust. Preferably remove spillage with a vacuum cleaner. Collect spillage in containers, seal securely and deliver for disposal as hazardous waste.
 6.1. Personal precautions, propersonal precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section 	Avoid inhalation of dust. Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid contact with skin and eyes. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Avoid generation and spreading of dust. Preferably remove spillage with a vacuum cleaner. Collect spillage in containers, seal securely and deliver for disposal as hazardous waste. ns For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13.
 6.1. Personal precautions, propersonal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections 	Avoid inhalation of dust. Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid contact with skin and eyes. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Avoid generation and spreading of dust. Preferably remove spillage with a vacuum cleaner. Collect spillage in containers, seal securely and deliver for disposal as hazardous waste. Secure Section 8. See Section 11 for additional information on health hazards. For waste disposal, see section 13. Drage

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep separate from food, feedstuffs, fertilisers and other sensitive material. The product must be stored under cover, in unopened bags clear of the ground in cool dry conditions, protected from frost and excessive draught.
Storage class	Miscellaneous hazardous material storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SILICA SAND

Long-term exposure limit (8-hour TWA): WEL 0,1 mg/m³ Short-term exposure limit (15-minute): WEL

CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 total dust ; 4 respirable dust mg/m³ Short-term exposure limit (15-minute): WEL

CALCIUM CARBONATE

Long-term exposure limit (8-hour TWA): WEL 10 total dust; 4 respirable dust mg/m³ WEL = Workplace Exposure Limit

Ingredient comments

The product may contain a low level of respirable crystalline silica (WEL 0.1 mg/m3; 8 hours TWA).

8.2. Exposure controls





Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of dust. Observe any occupational exposure limits for the product or ingredients.
Personal protection	Always check applicability with your supplier of protective equipment.
Eye/face protection	If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Break through times can vary depending on thickness, use and source. Change gloves regularly.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Wear apron or protective clothing in case of contact.
Hygiene measures	Provide eyewash station. Promptly remove any clothing that becomes wet or contaminated. Wash promptly if skin becomes contaminated.
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. A half mask dust respirator approved to EN 149 : 2001 FFP2 is recommended. Ensure that the mask fits tightly to ensure an efficient seal.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Dusty powder.

Colour	Grey.
Odour	Slight.
Odour threshold	Not determined.
pH	pH (concentrated solution): High alkaline pH when mixed with water.
Melting point	Not determined.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Other flammability	Not determined.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Variable, depends on packing effects and temperature
Bulk density	Not determined.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not determined.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
Comments	Information given is applicable to the product in its ready-to-use form.
9.2. Other information	
Other information	None.
Refractive index	Not determined.
Particle size	Not determined.
Molecular weight	Not determined.
Volatility	Not applicable.
Saturation concentration	Not determined.
Critical temperature	Not determined.
Volatile organic compound	Not applicable.

SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous r	reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation. Avoid handling which leads to dust formation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological inf	ormation
11.1. Information on toxicologic	cal effects
Toxicological effects	No information available.
Acute toxicity - oral	
Notes (oral LD ₅₀)	No specific test data are available.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	No specific test data are available.
Acute toxicity - inhalation	No apositio test data are available
Notes (inhalation LC ₅₀)	No specific test data are available.
Skin corrosion/irritation Skin corrosion/irritation	Irritating to skin.
Animal data	No specific test data are available.
Human skin model test	No specific test data are available.
Extreme pH	No specific test data are available.
Serious eye damage/irritation	
Serious eye damage/irritation	Corrosivity to eyes is assumed.
Respiratory sensitisation Respiratory sensitisation	No specific test data are available.
Skin sensitisation Skin sensitisation	No specific test data are available.
Germ cell mutagenicity	
Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.

Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
Carcinogenicity	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
IARC carcinogenicity	Not listed.
Reproductive toxicity	
Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	Contains chromium (VI). May produce an allergic reaction.
Inhalation	Dust in high concentrations may irritate the respiratory system. The product may contain a small percentage of respirable crystalline silica. Prolonged exposure to dust may result in long term irreversible effects
Ingestion	Ingestion of small amounts is unlikely to cause a significant reaction. Larger doses may result in irritation to the gastro intestinal tract.
Skin contact	Prolonged or repeated contact with the powder or mixtures with water may cause burns and/or irritant contact dematitis
Eye contact	Risk of serious damage to eyes.
Acute and chronic health hazards	Irritating to eyes. May cause skin sensitisation or allergic reactions in sensitive individuals.
Route of entry	Skin and/or eye contact
Target organs	Eyes Skin
Medical symptoms	Irritation of eyes and mucous membranes.
Medical considerations	Pre-existing eye problems. Skin disorders and allergies.
SECTION 12: Ecological Infor	mation
-	

Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
12.1. Toxicity	
Toxicity	Not available
Acute toxicity - fish	Not determined
Acute toxicity - aquatic invertebrates	Not determined.
Acute toxicity - aquatic plants	Not determined.
Acute toxicity - microorganisms	Not determined.

Acute toxicity - terrestrial	Not determined.	
Chronic toxicity - fish early life stage	Not determined.	
Short term toxicity - embryo and sac fry stages	Not determined.	
Chronic toxicity - aquatic invertebrates	Not determined.	
12.2. Persistence and degrada	ability	
Persistence and degradability	There are no data on the degradability of this product.	
Phototransformation	Not determined.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not applicable.	
12.4. Mobility in soil		
Mobility	The product is non-volatile.	
Adsorption/desorption coefficient	Not determined.	
Henry's law constant	Not determined.	
Surface tension	Not determined.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	s	
Disposal methods	Small quantities may be mixed with water, allowed to cure fully and disposed of as low hazard waste. Larger quantities should be disposed of as hazardous waste via a licensed waste operator.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number Not applicable.		
14.2. UN proper shipping name	e	
Not applicable.		
14.3. Transport hazard class(e	<u>es)</u>	
No transport warning sign requ	uired.	

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).
Guidance	Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.
Health and environmental listings	None of the ingredients are listed.
Authorisations (Title VII Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Title VIII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Key literature references and sources for data	Health and Safety Executive Guidance Note EH40 (amended annually). Workplace Exposure Limits.
Revision comments	Section 2: update.
Revision date	31/08/2018
Revision	2
Supersedes date	25/04/2018
SDS number	20989
SDS status	Approved.
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.