# Tippers

## Landscaping Range 2022



BY



Introducing our inspiring landscaping collection. Everything you need to create the perfect outdoor living space...

Tippers stock a large range of landscaping products and our branches feature bespoke displays to help you imagine what your garden will look like. This brochure will take you on a journey through various options to maximise your outdoor living space.



PORCELAIN PAVING	6-15	
NATURAL STONE	16-21	
<b>DECORATIVE</b> AGGREGATES	22-23	
<b>ARTIFICAL</b> GRASS	24-25	
<b>COMPOSITE</b> DECKING	26	
<b>ACCESSORIES</b> ESSENTIALS	27	
BARBEQUES	28	
<b>GARDEN</b> FURNITURE	29	
TIMBER PRODUCTS	30	
<b>OTHER</b> PRODUCTS & SERVICES	31-32	
TOP <b>Tips</b>	33	
NOTES & PLANNING	34-35	

\_\_\_\_ \_\_\_\_



Benefits of using our



See the products at our branch showrooms Bulk stock • Always available • Delivered fast

### Customer



Affordable

Look, touch and feel the high quality of our products

Products are always in stock. No project delays

### Contractor



Order accurately to meet your project needs -A more efficient way of working

Products are always in stock. No project delays

efficient turnar

Fast efficient turnaround Highly cost-effective



### Visit your nearest store and see our displays:

Lichfield, Tamworth, Huthwaite, Uttoxeter, Wolverhampton, Nuneaton Kidderminster, Ashbourne, Stoke-On-Trent, Rugeley, Haymills

NEW FOR 2022 - Indoor landscaping displays

Lichfield, Tamworth and Haymills

www.tippers.com

## PORCELAIN PAVING

Compliment this range with our NEW step units



Laying Suggestion



PERLA | PROJECT BY G-SCAPES

# Duplostone

Premium quality Spanish Porcelain with natural textures, tones and grains. Perfect for modern minimal spaces.

Extending the beauty of ceramic tiles from the interior to the exterior is now possible thanks to technological developments in non-slip technology. Our porcelain is fully rectified and calibrated to ensure accuracy and precision.

#### **Tippers** High quality Spanish porcelain | Fully rectified | R11 Slip rating



Perla PMWC20DUPST6060PER PMWC20DUPSTPER



Marengo PMWC20DUPST6060MAREN PMWC20DUPSTMAREN

### Sizes (mm)



### Gris

PMWC20DUPST6060GRI PMWC20DUPSTGRI



Marfil PMWC20DUPST6060MAR PMWC20DUPSTMAR



1200 x 600

#### Calibration: 20mm

Bring the outdoors inside with our complementing 10mm alternative

# PAVING

n

Compliment this range with our NEW step units



Laying Suggestion



WHITE | PROJECT BY G-SCAPES

# Duplocem

#### Premium quality Spanish Porcelain with a modern sleek look. Perfect for modern minimal spaces.

Extending the beauty of ceramic tiles from the interior to the exterior is now possible thanks to technological developments in non-slip technology. Our porcelain is fully rectified and calibrated to ensure accuracy and precision.

### **Tippers** High quality Spanish porcelain | Fully rectified | R11 Slip rating



Perla PMWC20DUPC6060PER PMWC20DUPPER



White PMWC20DUPC6060WHI PMWC20DUPWHI

### Sizes (mm)



Gris

PMWC20DUPC6060GRI PMWC20DUPGRI



Marfil PMWC20DUPC6060MAR PMWC20DUPMAR



#### Calibration: 20mm

Bring the outdoors inside with our complementing 10mm alternative

# PAVING



5

5

## Laying Suggestion





# Mosa

With sophisticated and subtle veining to enhance the porcelain's natural aesthetic, the Mosa range is the perfect balance of classic and contemporary for your gardening or landscaping project.

### **Tippers** High quality Spanish porcelain | Fully rectified | R11 Slip rating



### Sand

PMWC20MOSA600600SA PMWC20MOSA900900SA



Ash PMWC20MOSA600600ASH PMWC20MOSA900900ASH



#### Grey

PMWC20MOSA600600GRE PMWC20MOSA900900GRE



#### Coal PMWC20MOSA600600COAL PMWC20MOSA900900COAL

### Sizes (mm)

605 x 605



#### Calibration: 20mm

Bring the outdoors inside with our complementing 10mm alternative

## PORCELAIN PAVING



12











Welcome a slice of paradise into your home with the Vita range. With fine flecks and markings, the porcelain brings a refined and natural look to your space

### Tippers High quality Spanish porcelain | Fully rectified | R11 Slip rating



Arena PMWVITA60ARE PMWVITA90ARE20



Marengo PMWVITA60MER PMWVITA90MAR20



**Gris** PMWVITA60GRI PMWVITA90GRI20



Perla PMWVITA60PER PMWVITA90PER20

Sizes (mm)

605 x 605

900 x 900

#### Calibration: 20mm

Bring the outdoors inside with our complementing 10mm alternative



# Sonoma

The colours and tones are inspired by the aged, tannin infused wine barrels of California's Sonoma Vineyard District. Available in 3 colours, their beautiful shading and natural movement are ideal for enhancing any setting.



Honey PMWC20SON30120HO



Nordic PMWC20SON30120NO



Cognac PMWC20SON30120CO

#### Size

### Laying suggestion

1205mm x 300mm

Calibration: 20mm

### Tippers

## ACCESSORIES

### **NEW FOR 2022**

Complement your Porcelain paving with our wide range of accessories



## Pedestal System

#### Perfect for raised floors and balconies

Overlay existing areas quickly and simply The system simplifies the tile-laying process, allowing for millimetre adjustments.

The height of the floor can be adjusted without lifting up the tiles, just by turning the central column. The system simplifies the tile-laying process, allowing for millimetre adjustments with no need for jointing.





## Step Units

## Perfect for connecting flat areas of paving to different levels.

A simple and effective solution for creating seamless edges and steps in your outdoor space

## Clip-based Fastening System

#### Perfect for laying porcelain paving slabs vertically. Visible and Invisible systems available.

Clip-based fastening systems guarantee long-lasting tile-cladding on façades, preventing the risk of loosened tiles over the course of time if the adhesive's bonding capacity is weakened through permanent exposure to the elements.





## Riven Sandstone

Meticulously hand crafted and hand selected, our Sandstone Premium range features chisel-dressed edges and a natural riven surface to offer a classic natural stone appearance. The riven surface also serves to enhance the colouration of the stone. The character of this stone makes it a firm favourite and an adaptable choice for traditional or contemporary designs.



Fossil Mint



Forest Green



Modac TNSPPMO



Silver Grey



Buff Blend

### Size (mm)

4 size project pack 15.22m²

Quantity



**13x** 600 × 900

13x 600 x 290

**13x** 600 × 600

Available individually in 600 x 600 and 600 x 900  $\,$ 

17



DUNE | PROJECT BY G-SCAPES



## Smooth Sandstone

A sophisticated, contemporary paving solution that offers a sleek finish to any patio design. The range is sawn on all sides providing a clean and refined look and is calibrated for easier installation.

Natural Sandstone is beautifully distinctive with its colour mix, eye catching patterns and veining variations, so no two paving slabs are the same. Available in three striking shades, there's sure to be a perfect option for your outdoor space.



Silver Grey



**Vanilla** TNSPPSVN



Dune TNSPPSDU

Size (mm)

4 size project pack 15.22m<sup>2</sup>

#### Quantity







600 × 600

Available individually in 600 x 600 and 600 x 900

BLUE SAWN PROJECT BY G-SCAPES

Ð



## Sawn Edge Limestone

Our Limestone range offers an exceptional aesthetic, available in three colours Honey Yellow and Midnight Black and Blue Sawn with a sawn edge. Limestone suits both traditional and contemporary settings.



Blue Sawn TNLPPBS



Honey Yellow



Midnight Black





### Slate

Our most popular aggregate, a versatile and affordable option for paths and borders. Available in mini or bulk bags for all products unless noted



Plum Slate 20mm or 40mm



Blue Slate 20mm or 40mm



Graphite Slate 20mm

### Chippings

Perfect for a number of different applications including driveways, rockeries and water features.





Alpine Blue

Black Ice



Mellow Cotswold



Green Granite 14mm



Red Granite 14mm





Blossom



White Marble Pebbles

Nordic Spa 10mm

## Golden Gravel

Ideal for driveways and paths.



Golden Gravel 10mm



Golden Gravel 20mm

## Pebbles

Suitable for almost any garden project or landscaping scheme.



Scottish Pebbles 20-30mm



Scottish Cobbles 50-80mm **Not available in mini-bags** 







Elford 38mm 5m wide rolls

Tippers offer a range of high quality, artificial grass from stock. All of our grasses come with a manufacturer's 10 year warranty.

We have grass suitable for children and pets as well as garden sports. With samples available, please visit your local Tippers branch for more information.

All our grass comes supplied in 4m or 5m wide rolls and we sell the product by the linear metre.



# Stone

Composite Decking is a beautiful low maintenance alternative to timber with no need to paint, stain or seal. The unique contemporary grooved finish generates clean lines and is the perfect accompaniment to any outdoor project. The purposefully designed surface texture of the boards generate an exceptional anti-slip rating making it an ideal surface for those with a safety conscious mind.



Stone Composite Deck Board 23 x 138 x 3600mm ECOLEGNADECKSTONE36



Fascia Trim

42 x 6 x 2900mm ECOLEGNAANGLETRIM



Stone Flat Trim 150 x 15 x 3600mm ECOLEGNAFLATTRIM



Other parts and accessories available

## ACCESSORIES

### Easy Grout

porcelain paving

• Exterior & interior use

Available in 3 colours



A high quality slurry grout for use on

• In 3 x 5kg bags for easy mixing in the tub

### Easy Prime



A high bond primer for use on natural stone & porcelain paving

- · Easy mix, excellent adhesion
- . Essential when laying porcelain tiles to wet bedding mortar

Easy Joint





An all weather paving joint compound for use on natural stone or concrete paving.

• Ready to use and simple to apply, available in 5 colours



1m Aco hexdrain channel & grate galvanised grid ADRD210



Aco hex/raindrain anthracite grate ADRD10305

### **Brickslot**



Aco brickslot hexdrain slot drain channel 1m x 125mm x 148mm ADHX319561

Linear Drainage for domestic & light duty traffic applications.



1m Aco hexdrain channel plastic grid ADHX19310

Aco hex/raindrain

ADRD310307

polished stainless steel grate



Aco hex/raindrain wedge wire grate ADRD10323

### **Threshold Drain**



Aco threshold drain silver aluminium grate ADTD19000



Aco hex/raindrain

ADRD38516

galvanised steel grate

Aco threshold drain black aluminium grate ADTD19005



### **NEW PRODUCTS FOR 2022**

A wide range of BBQs from top brands available online or at our Lichfield showroom





## **GARDEN** FURNITURE

### **NEW PRODUCTS FOR 2022**

Complement your outdoor space with our stunning range of premium quality furniture





## TIMBER PRODUCTS

Available in a range of styles and sizes





## Your **One Stop Shop** for all of your building needs

Visit your local branch and discover all the other products we offer, including...

**Blocks • Bricks • Metalwork • Building Chemicals** 

- Cement & Aggregates 
   Damp Proofing
- Floor Levelling Compounds 
   Insulation
- Lintels & Padstones Plaster & Dry lining Wall Ventilation

## **Daily deliveries across the Midlands**



# With you all the way... From **start** to **finish,** and after too...

## **Our Services**

Brick Matching • FREE 3D Kitchen and Bathroom Design Underfloor Heating Calculation • Roofing Take Off Service

Fast Local Delivery • Drawing Take Off Service

Thousands of Products In-Stock







#### Concrete mixed on-site to your specification

No waste
No returned load charges
Affordable flexibility
BSI Accredited



1000's of tools and machines for hire

Example above Water cooled porcelain table saw, ideal for the perfect cut

A 300mm diameter blade ensures a professional clean-cut edge. Tilting motor assembly for bevel cuts – perfect for steps and walling

# PAVING

## Do

- · Lay paving slabs on a full bed of mortar
- Use reputable specialists to install your patio
- · Check all packs have the same batch codes
- Use Slurry Primer if laying on a sand and cement wet bed
- Always use the correct cutting equipment
   with a blade suitable for porcelain
- Always use a good quality grout or jointing compound that is non-porous

## Top**Tips**

## Don't

- Don't butt joint porcelain paving. Always use a minimum 4mm joint width
- Don't half bond porcelain tiles over 600mm long. We recommend maximum one third/ two thirds bond
- Attempt to lay your paving without being sure of the process
- Don't let grout set on the surface of your porcelain, as it will be very difficult to remove later

# STONE

## Do

- Visit your local branch to view the paving, as the colours in our brochures are only as accurate as the printing process allows. Go to tippers.com to find your nearest branch
- Use reputable specialists to install your patio
- Use Slurry Primer on natural stone to help the paving adhere to the bedding mix
- Use appropriate paving for its use i.e paving for gardens or driveways
- Always inspect the paving before installation.
- When using multiple packs of paving, randomly select slabs from each pack to give an even mix of colour shades for your project
- Use quality brands of cleaners on your paving and always follow the instructions in full
- Always use good quality cutting tools on your paving to avoid chipping and breakages
- Always lay paving to the correct falls to avoid water pooling on the paving
- Always use a full bed of mortar under your paving, with no voids
- If using sealers, please follow the instructions in full and use quality brands

## Don't

- Don't choose paving from a small sample only. It is best viewed at a branch to show the colour variation
- Don't attempt to lay paving without being sure of the process
- Don't use the spot bedding method under your paving
- Don't clean your paving with acid based cleaners
- Don't butt joint your paving; always use the appropriate joint as advised
- Cut paving without using appropriate dust suppression

## NOTES

## PLANNING

**1cm<sup>2</sup> - 1m<sup>2</sup>** 



Visit your nearest branch



Lichfield, Tamworth, Huthwaite, Uttoxeter, Wolverhampton, Nuneaton Kidderminster, Ashbourne, Stoke-On-Trent, Rugeley, Haymills

www.tippers.com



Scan the QR code to find out more about our Landscaping range



With thanks to G-Scapes of Lichfield for images for the front cover and other pages in this brochure